































# CANON EOS

MARCH 2012



<b>LATEST CAMERA MODELS</b>	<b>CANON EOS 5 D Mk III</b>	<b>CANON EOS 1D - X</b>	<b>CANON EOS 1100 D</b>	<b>CANON EOS 600 D</b>	<b>CANON EOS 60 D</b>	<b>CANON EOS 550 D</b>	<b>CANON EOS 1D Mk IV</b>	<b>CANON EOS 7 D</b>	<b>CANON EOS 500 D</b>	<b>CANON EOS 5 D Mk II</b>	<b>CANON EOS 50 D</b>	<b>CANON EOS 1000 D</b>	<b>CANON EOS 450 D</b>	<b>CANON EOS 40 D</b>	<b>CANON EOS 1Ds Mk III</b>	<b>CANON EOS 1D Mk III</b>	<b>CANON EOS 400 D</b>
Availability since	new: Mar '12	new: Mar '12	since Mar '11	since Mar '11	since Oct '10	since Mar '10	since Dec '09	since Oct '09	since May '09	since Nov '08	since Sep '08	since July '08	since Mar '08	since Oct '07	since Nov '07	since May '07	since Sep '06
Camera type	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR
Camera flash TTL system	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II	E-TTL II
Built-in flash with remote TTL master	no built-in flash	no built-in flash	---	●	●	---	no built-in flash	●	---	no built-in flash	---	---	---	---	no built-in flash	no built-in flash	---
<b>METZ SYSTEM FLASHES</b>																	
<b>58 AF-2 digital for Canon</b>		TEST result will follow	TEST result will follow	flash software ≥ V2								flash software ≥ V1					
<b>58 AF-1 digital for Canon</b>		TEST result will follow	TEST result will follow	flash software ≥ V5								flash software ≥ V2					flash software ≥ V1
<b>50 AF-1 digital for Canon</b>		TEST result will follow	TEST result will follow	flash software ≥ V2								flash software ≥ V1					
<b>48 AF-1 digital for Canon</b>		TEST result will follow	TEST result will follow	flash software ≥ V4								flash software ≥ V2					
<b>44 AF-1 digital for Canon</b>		TEST result will follow	TEST result will follow	flash software ≥ V2								flash software ≥ V1					
<b>36 AF-5 digital for Canon</b>		TEST result will follow	TEST result will follow														
<b>36 AF-4 digital for Canon</b>		TEST result will follow	TEST result will follow						flash software ≥ V2								flash software ≥ V1
<b>24 AF-1 digital for Canon</b>		TEST result will follow	TEST result will follow	flash software ≥ V2								flash software ≥ V1					
<b>METZ SCA FLASHES</b>																	
<b>76 MZ-5 digital with SCA adapter</b>		TEST result will follow	TEST result will follow														
<b>45 CL 4 digital with SCA adapter</b>		TEST result will follow	TEST result will follow				SCA 3102 software ≥ M5								SCA 3102 software ≥ M4		SCA 3102 software ≥ M3
<b>54 MZ-4i digital with SCA adapter</b>		TEST result will follow	TEST result will follow														
<b>METZ MACRO FLASH</b>																	
<b>15 MS-1 digital</b>												flash software ≥ V2					



NIKON				MARCH 2012																
																				
LATEST CAMERA MODELS	NIKON D 800 E	NIKON D 800	NIKON D 4	NIKON D 5100	NIKON D 7000	NIKON D 3100	NIKON D 5000	NIKON D 3 S	NIKON D 3000	NIKON D 300 S	NIKON D 3 X	NIKON D 90	NIKON D 700	NIKON D 60	NIKON D 3	NIKON D 300	NIKON D 40 X			
Availability since	new: Apr '12	new: Mar '12	new: Feb '12	since April '11	since Oct '10	since Sep '10	since May '09	since Nov '09	since Aug '09	since Aug '09	since Feb'09	since Sep '08	since Jul '08	since Mar '08	since Nov'07	since Nov'07	since Mar '07			
Camera type	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR			
Camera flash TTL system	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL	i-TTL			
Built-in flash with remote TTL master	TEST	TEST	no built-in flash	--	no built-in flash	--	--	no built-in flash	--	●	no built-in flash	●	●	●	no built-in flash	●	--			
METZ SYSTEM FLASHES																				
58 AF-2 digital for Nikon		TEST result will follow	TEST result will follow	TEST result will follow														flash software ≥ V1		
58 AF-1 digital for Nikon		TEST result will follow	TEST result will follow	TEST result will follow														flash software ≥ V4	flash software ≥ V3	flash software ≥ V2
50 AF-1 digital for Nikon		TEST result will follow	TEST result will follow	TEST result will follow														flash software ≥ V1		
48 AF-1 digital for Nikon		TEST result will follow	TEST result will follow	TEST result will follow														flash software ≥ V3	flash software ≥ V2	flash software ≥ V1
44 AF-1 digital for Nikon		TEST result will follow	TEST result will follow	TEST result will follow														flash software ≥ V1		
36 AF-5 digital for Nikon		TEST result will follow	TEST result will follow	TEST result will follow														flash software ≥ V1		
36 AF-4 digital for Nikon		TEST result will follow	TEST result will follow	TEST result will follow														flash software ≥ V1		
24 AF-1 digital for Nikon		TEST result will follow	TEST result will follow	TEST result will follow														flash software ≥ V1		
METZ SCA FLASHES																				
76 MZ-5 digital with SCA adapter		TEST result will follow	TEST result will follow	TEST result will follow																
45 CL 4 digital with SCA adapter		TEST result will follow	TEST result will follow	TEST result will follow														SCA 3402 softw. ≥ M9	SCA 3402 software ≥ M8	SCA 3402 software ≥ M7
54 MZ-4i digital with SCA adapter		TEST result will follow	TEST result will follow	TEST result will follow														D3S softw. ≥ M10 (for ISO > 64000) (Update in Service)		
METZ MACRO FLASH																				
15 MS-1 digital																		flash software ≥ V2		



# SONY

MARCH 2012



LATEST CAMERA MODELS	SONY ALPHA 57	SONY NEX 7	SONY ALPHA 77 V	SONY ALPHA 65 V	SONY ALPHA 35	SONY ALPHA 560	SONY ALPHA 580	SONY ALPHA 55	SONY ALPHA 33	SONY ALPHA 450	SONY ALPHA 900	SONY ALPHA 390	SONY ALPHA 290	SONY ALPHA 850	SONY ALPHA 550	SONY ALPHA 500	SONY ALPHA 230	
Availability since	new: Apr '12	since Jan '12	since Oct '11	since Oct '11	since Sep'11	since Mar'11	since Oct '10	since Oct '10	since Oct '10	since Oct '10	since Feb '10	since Oct '08	since Jul '10	since Jul '10	since Oct '09	since Oct '09	since Oct '09	since Jul '09
Camera type	SLR	System	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR	SLR
Camera flash TTL system	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI	ADI
Built-in flash with remote TTL master	TEST	---	●	●	●	●	●	●	●	●	no built-in flash	●	●	no built-in flash	●	●	●	

## METZ SYSTEM FLASHES

58 AF-2 digital for Sony		TEST result will follow	flash software ≥ V3	flash software ≥ V1	flash software ≥ V2	flash software ≥ V1												
58 AF-1 digital for Sony		TEST result will follow	flash software ≥ V5	flash software ≥ V3	flash software ≥ V4	flash software ≥ V3	flash software ≥ V2	flash software ≥ V2										
50 AF-1 digital for Sony		TEST result will follow	flash software ≥ V3	flash software ≥ V1	flash software ≥ V2	flash software ≥ V1												
48 AF-1 digital for Sony		TEST result will follow	flash software ≥ V5	flash software ≥ V3	flash software ≥ V4	flash software ≥ V3	flash software ≥ V2											
44 AF-1 digital for Sony		TEST result will follow	flash software ≥ V2			flash software ≥ V1												
36 AF-5 digital for Sony		TEST result will follow																
36 AF-4 digital for Sony		TEST result will follow						flash software ≥ V1										
24 AF-1 digital for Sony		TEST result will follow						flash software ≥ V1										

## METZ SCA FLASHES

76 MZ-5 digital with SCA adapter		TEST result will follow	SCA 3302 software = M8															
45 CL 4 digital with SCA adapter		TEST result will follow		SCA 3302 software ≥ M9											SCA 3302 software ≥ M8			
54 MZ-4i digital with SCA adapter		TEST result will follow																

## METZ MACRO FLASH

15 MS-1 digital										flash software ≥ V2								
-----------------	--	--	--	--	--	--	--	--	--	---------------------	--	--	--	--	--	--	--	--

# OLYMPUS

## MARCH 2012



LATEST CAMERA MODELS	OLYMPUS OM-D D-M5	OLYMPUS PEN E-PM1	OLYMPUS PEN E-P 3	OLYMPUS PEN E-PM 1	OLYMPUS PEN E-PL 3	OLYMPUS PEN E-PL 2	OLYMPUS XZ-1	OLYMPUS E - 5	OLYMPUS PEN E-PL 1	OLYMPUS PEN E-P 2	OLYMPUS E - 600	OLYMPUS PEN E-P1	OLYMPUS E - 450	OLYMPUS E - 620	OLYMPUS E - 30	OLYMPUS E - 520	
Availability since	new: Apr '12	since Dec '11	since Sep '11	since Sep '11	since Sep '11	since Sep '11	since Mar '11	since Feb '11	since Oct '10	since Mar '10	since Jan '10	since Nov '09	since Jul '09	since May '09	since Apr '09	new: Jan '09	since Jun '08
Camera type	SLR	System Camera	System Camera	System Camera	System Camera	System Camera	System Camera	SLR	System Camera	System Camera	SLR	System Camera	SLR	SLR	SLR	SLR	SLR
Camera flash TTL system	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds	Four Thirds
Built-in flash with remote TTL master	TEST	no built-in flash	no built-in flash	no built-in flash	no built-in flash	no built-in flash	no built-in flash	●	no built-in flash	no built-in flash	●	no built-in flash	●	●	●	●	●
METZ SYSTEM FLASHES																	
58 AF-2 digital for Oly / Pan		TEST result will follow									flash software ≥ V1						
58 AF-1 digital for Oly / Pan		TEST result will follow									flash software ≥ V2						
50 AF-1 digital for Oly / Pan		TEST result will follow									flash software ≥ V1						
48 AF-1 digital for Oly / Pan		TEST result will follow									flash software ≥ V2						
44 AF-1 digital for Oly / Pan		TEST result will follow									flash software ≥ V1						
36 AF-5 digital for Oly / Pan		TEST result will follow									flash software ≥ V1						
36 AF-4 digital for Oly / Pan		TEST result will follow									flash software ≥ V1						
24 AF-1 digital for Oly / Pan		TEST result will follow									flash software ≥ V1						
METZ SCA FLASHES																	
76 MZ-5 digital with SCA adapter		TEST result will follow															
45 CL 4 digital with SCA adapter		TEST result will follow									SCA 3202 software ≥ M7						
54 MZ-4i digital with SCA adapter		TEST result will follow															
METZ MACRO FLASH																	
15 MS-1 digital											flash software ≥ V2						





# LEICA

MARCH 2012



(*) = fixing on hotshoe not possible																
<b>LATEST CAMERA MODELS</b>	<b>LEICA M 9 P</b>	<b>LEICA S 2</b>	<b>LEICA X 1</b> (*)	<b>LEICA M 9</b>	<b>LEICA M 8.2</b>	<b>LEICA M 8</b>	<b>LEICA V-LUX 3</b>	<b>LEICA V-LUX 2</b>	<b>LEICA D-LUX 5</b>	<b>LEICA D-LUX 4</b>	<b>LEICA V-LUX 1</b>	<b>LEICA Digilux 3</b>				
Availability since	since Jul '11	since Dec '09	since Dec '09	since Sep '09	since Sep '08	since Nov '06	<b>new: Jan '12</b>	since Oct '10	since Oct '10	since Oct '08	since Oct '06	since Oct '06				
Camera type	SLR	SLR	SLR	SLR	SLR	SLR	System	System	System	System	SLR	SLR				
Camera flash TTL system	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Leica TTL	Four Thirds	Four Thirds	Four-Thirds	FourThirds	FourThirds	FourThirds				
Built-in flash with remote TTL master	--	--	--	--	--	--	<b>TEST</b>	--	--	--	--	--				

## METZ SYSTEM FLASHES

<b>58 AF-2 digital for Oly / Pan</b>		---	---	---	---	---	---	<b>TEST</b> result will follow			flash software ≥ V1					
<b>58 AF-1 digital for Oly / Pan</b>		---	---	---	---	---	---	<b>TEST</b> result will follow			flash software ≥ V2		flash software ≥ V1			
<b>50 AF-1 digital for Oly / Pan</b>		---	---	---	---	---	---	<b>TEST</b> result will follow			flash software ≥ V1					
<b>48 AF-1 digital for Oly / Pan</b>		---	---	---	---	---	---	<b>TEST</b> result will follow			flash software ≥ V2		flash software ≥ V1			
<b>44 AF-1 digital for Oly / Pan</b>		---	---	---	---	---	---	<b>TEST</b> result will follow			flash software ≥ V1					
<b>36 AF-5 digital for Oly / Pan</b>		---	---	---	---	---	---	<b>TEST</b> result will follow			flash software ≥ V1					
<b>36 AF-4 digital for Oly / Pan</b>		---	---	---	---	---	---	<b>TEST</b> result will follow			flash software ≥ V1					
<b>24 AF-1 digital for Oly / Pan</b>		---	---	---	---	---	---	<b>TEST</b> result will follow			flash software ≥ V1					

## METZ SCA FLASHES

<b>76 MZ-5 digital with SCA adapter</b>								<b>TEST</b> result will follow								
<b>45 CL 4 digital with SCA adapter</b>								<b>TEST</b> result will follow			SCA 3202 softw. ≥ M7		SCA 3202 softw. ≥ M6		SCA 3202 softw. ≥ M5	
<b>54 MZ-4i digital with SCA adapter</b>								<b>TEST</b> result will follow			SCA 3502 software ≥ M4					

## METZ MACRO FLASH

<b>15 MS-1 digital</b>		---	---	---	---	---	---				flash software ≥ V2					
------------------------	--	-----	-----	-----	-----	-----	-----	--	--	--	------------------------	--	--	--	--	--